





2025 MOELVEN OPEN



DISTANCE:	43 FEET	VOLUME:	30,95 mL
RATIO:	172,00:1	FORWARD:	13,6 mL
DROP BRUSH:	41 FEET	REVERSE:	17,35 mL
TANKS: PRODIGY & CURRENT		PUMP:	MULTI



FORWARD LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	5	45	14	500	B - CURRENT	0 → 8	8 325
2	5L	5R	1	45	14	500	B - CURRENT	8 → 10	1 395
3	9L	9R	2	40	14	500	B - CURRENT	10 → 14	1 840
4	12L	12R	3	40	18	500	B - CURRENT	14 → 21	2 040
5	2L	2R	0	45	18	500	B - CURRENT	21 → 35	0
6	2L	2R	0	45	22	350	B - CURRENT	35 → 39	0
7	2L	2R	0	45	26	200	B - CURRENT	39 → 43	0

REVERSE LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	0	50	26	350	A - PRODIGY	41 → 36	0
2	9L	9R	3	50	22	500	A - PRODIGY	36 → 27	3 450
3	5L	5R	3	50	18	500	A - PRODIGY	27 → 19	4 650
4	2L	2R	5	50	18	500	A - PRODIGY	19 → 7	9 250
5	2L	2R	0	50	14	500	A - PRODIGY	7 → 0	0

THIS PATTERN IS DESIGNED FOR:

VARIABLE BUFFER SPEEDS | VARIABLE MICROLITER STREAMS | DUAL CONDITIONING TANKS | REVERSE DROP BRUSH
 This pattern may require adjustments if using a lane machine that does not have these features

Created sep 15, 2025 - Rendered for Atlas Pro.



KEGEL PATTERN LIBRARY APP



PATTERNLIBRARY.KEGEL.NET



SCAN QR CODE FOR
 MORE PATTERNS ON
 KEGEL PATTERN
 LIBRARY

